

Home Well #4 Ex. 6 - Personal Privacy S-1	1) Diethylene glycol (2,2'oxybisethanol) 2) 2-Methoxyethanol 3) Arsenic 4) Manganese 5) Sodium	1) 630J ug/L – Sept 1, 2011 part II report pg 18 2) 880J ug/L - ditto 3) 7.2B ug/L - Sept 1, 2011 part I report pg 33 4) 628 ug/L – Ex. 6 - Personal Privacy report, DEP well 3/26/09, post treatment/post chlorination, pg 5 5) 82,900 ug/L – Ex. 6 - Personal Privacy report, DEP well 11/19/08 –post treatment, pg 3
Home Well #7 Ex. 6 - Personal Privacy	1) Glycols (ethylene glycol + triethylene glycol) 2) Arsenic 3) Manganese	1) 3400J ug/L - Sept 1, 2011 part II report pg 14 2) 3.1 ug/L – Ex. 6 - Personal Privacy report – Test America – 1/21/10 – well, pg 15 3) 1360 ug/L – ditto, pg 23
Home Well #8 (Serves 2 Homes)	1) DEHP 2) Arsenic 3) Manganese 4) Sodium	1) 2.61 ug/L – Ex. 6 - Personal Privacy Report – DEP – 9/23/10 – well, pg 20 2) 37 ug/L – Ex. 6 - Personal Privacy Report - Cabot – 8/25/10 -Provided water, pg 10 3) 413 ug/L – Ex. 6 - Personal Privacy Report - DEP – 9/23/10 – well, pg 14 4) 36,800 ug/L – Ex. 6 - Personal Privacy Report - DEP – 10/26/09 – well (post treatment), pg 15

DIM0060549

DIM0060551